



COMPANY INTRODUCTION



Fuzhou Hengsheng Hardware Co., Limited. is a major manufacturer and exporter of hose couplings, fittings and accessories in China, we currently have two factories in Fuzhou City and Fuqing City. Fujian Province, China. We have more than 20 years experiences in manufacturing Hose Couplings and Fittings (especially Camlock couplings). Our products are enjoying a high reputation in the U.S., Europe, South East Asia and Australia in the oil, mining, agriculture, food, chemistry, and fire protection industries.


Our main products are camlock coupling, guillemin coupling, universal air coupling and various kinds of clamps such as double bolt clamp, T-bolt superior clamp, DIN2817 safety clamp, etc.

Our extensive experience enables us to customize products as per your requested drawings and specifications to achieve ultimate customer satisfaction. You are welcome to contact us for business discussion at all times and can always depend on us for quality products, competitive and promptest delivery.

We are an ISO9001 certificate manufacturer. The following is our ISO9001 certificate.

ISO9001 certificate (EN)

ISO9001 certificate (CN)





HOSE COUPLINGS, FITTINGS & ACCESSORIES

Index

Cam & Groove

Standard Cam & Groove	4.5
Reducers and Increasers	6
DIN2828	7
Cam & Groove accessories	8

Guillemin

Standard Guillemin	9
Helical for composite hose	9

DIN Standard

Tankwagon coupling	10
DIN2817 fitting and clamp	10

Quick connect

Universal: US & European	12
Ground joint – Air & Steam	12
Sandblast	12

Threaded & unthreaded

King combination nipple	12
Hose mender	12

Suction & Delivery

Pin-lug hose shank	12
Foot valve	12
Basket strainer	12

Hose clamp systems

T-bolt superior clamp	13
Spiral clamp	13
Worm drive clamp	13
Double bolt clamp	13

Storz coupling

Aluminium	13
Brass	13

Miscellaneous

Washdown gun	13
Whipcheck safety cable	13
Bauer type coupling	13





Cam & Groove > Standard cam & groove



Part A - Male adapter / Female thread

Size	AL	BR	PP	SS
1/2"	HS-AL-A-0050	HS-BR-A-0050	HS-PP-A-0050	HS-SS-A-0050
3/4"	HS-AL-A-0075	HS-BR-A-0075	HS-PP-A-0075	HS-SS-A-0075
1"	HS-AL-A-0100	HS-BR-A-0100	HS-PP-A-0100	HS-SS-A-0100
1-1/4"	HS-AL-A-0125	HS-BR-A-0125	HS-PP-A-0125	HS-SS-A-0125
1-1/2"	HS-AL-A-0150	HS-BR-A-0150	HS-PP-A-0150	HS-SS-A-0150
2"	HS-AL-A-0200	HS-BR-A-0200	HS-PP-A-0200	HS-SS-A-0200
2-1/2"	HS-AL-A-0250	HS-BR-A-0250		HS-SS-A-0250
3"	HS-AL-A-0300	HS-BR-A-0300	HS-PP-A-0300	HS-SS-A-0300
4"	HS-AL-A-0400	HS-BR-A-0400	HS-PP-A-0400	HS-SS-A-0400
5"	HS-AL-A-0500	HS-BR-A-0500		HS-SS-A-0500
6"	HS-AL-A-0600	HS-BR-A-0600		HS-SS-A-0600

Part B - Female coupler / Male thread

Size	AL	BR	PP	SS
1/2"	HS-AL-B-0050	HS-BR-B-0050	HS-PP-B-0050	HS-SS-B-0050
3/4"	HS-AL-B-0075	HS-BR-B-0075	HS-PP-B-0075	HS-SS-B-0075
1"	HS-AL-B-0100	HS-BR-B-0100	HS-PP-B-0100	HS-SS-B-0100
1-1/4"	HS-AL-B-0125	HS-BR-B-0125	HS-PP-B-0125	HS-SS-B-0125
1-1/2"	HS-AL-B-0150	HS-BR-B-0150	HS-PP-B-0150	HS-SS-B-0150
2"	HS-AL-B-0200	HS-BR-B-0200	HS-PP-B-0200	HS-SS-B-0200
2-1/2"	HS-AL-B-0250	HS-BR-B-0250		HS-SS-B-0250
3"	HS-AL-B-0300	HS-BR-B-0300	HS-PP-B-0300	HS-SS-B-0300
4"	HS-AL-B-0400	HS-BR-B-0400	HS-PP-B-0400	HS-SS-B-0400
5"	HS-AL-B-0500	HS-BR-B-0500		HS-SS-B-0500
6"	HS-AL-B-0600	HS-BR-B-0600		HS-SS-B-0600



Part C - Female coupler / Hose tail

Size	AL	BR	PP	SS
1/2"	HS-AL-C-0050	HS-BR-C-0050	HS-PP-C-0050	HS-SS-C-0050
3/4"	HS-AL-C-0075	HS-BR-C-0075	HS-PP-C-0075	HS-SS-C-0075
1"	HS-AL-C-0100	HS-BR-C-0100	HS-PP-C-0100	HS-SS-C-0100
1-1/4"	HS-AL-C-0125	HS-BR-C-0125	HS-PP-C-0125	HS-SS-C-0125
1-1/2"	HS-AL-C-0150	HS-BR-C-0150	HS-PP-C-0150	HS-SS-C-0150
2"	HS-AL-C-0200	HS-BR-C-0200	HS-PP-C-0200	HS-SS-C-0200
2-1/2"	HS-AL-C-0250	HS-BR-C-0250		HS-SS-C-0250
3"	HS-AL-C-0300	HS-BR-C-0300	HS-PP-C-0300	HS-SS-C-0300
4"	HS-AL-C-0400	HS-BR-C-0400	HS-PP-C-0400	HS-SS-C-0400
5"	HS-AL-C-0500	HS-BR-C-0500		HS-SS-C-0500
6"	HS-AL-C-0600	HS-BR-C-0600		HS-SS-C-0600

Part D - Female coupler / Female thread

Size	AL	BR	PP	SS
1/2"	HS-AL-D-0050	HS-BR-D-0050	HS-PP-D-0050	HS-SS-D-0050
3/4"	HS-AL-D-0075	HS-BR-D-0075	HS-PP-D-0075	HS-SS-D-0075
1"	HS-AL-D-0100	HS-BR-D-0100	HS-PP-D-0100	HS-SS-D-0100
1-1/4"	HS-AL-D-0125	HS-BR-D-0125	HS-PP-D-0125	HS-SS-D-0125
1-1/2"	HS-AL-D-0150	HS-BR-D-0150	HS-PP-D-0150	HS-SS-D-0150
2"	HS-AL-D-0200	HS-BR-D-0200	HS-PP-D-0200	HS-SS-D-0200
2-1/2"	HS-AL-D-0250	HS-BR-D-0250		HS-SS-D-0250
3"	HS-AL-D-0300	HS-BR-D-0300	HS-PP-D-0300	HS-SS-D-0300
4"	HS-AL-D-0400	HS-BR-D-0400	HS-PP-D-0400	HS-SS-D-0400
5"	HS-AL-D-0500	HS-BR-D-0500		HS-SS-D-0500
6"	HS-AL-D-0600	HS-BR-D-0600		HS-SS-D-0600





Part E - Male adapter/ Hose tail

Size	AL	BR	PP	SS
1/2"	HS-AL-E-0050	HS-BR-E-0050	HS-PP-E-0050	HS-SS-E-0050
3/4"	HS-AL-E-0075	HS-BR-E-0075	HS-PP-E-0075	HS-SS-E-0075
1"	HS-AL-E-0100	HS-BR-E-0100	HS-PP-E-0100	HS-SS-E-0100
1-1/4"	HS-AL-E-0125	HS-BR-E-0125	HS-PP-E-0125	HS-SS-E-0125
1-1/2"	HS-AL-E-0150	HS-BR-E-0150	HS-PP-E-0150	HS-SS-E-0150
2"	HS-AL-E-0200	HS-BR-E-0200	HS-PP-E-0200	HS-SS-E-0200
2-1/2"	HS-AL-E-0250	HS-BR-E-0250		HS-SS-E-0250
3"	HS-AL-E-0300	HS-BR-E-0300	HS-PP-E-0300	HS-SS-E-0300
4"	HS-AL-E-0400	HS-BR-E-0400	HS-PP-E-0400	HS-SS-E-0400
5"	HS-AL-E-0500	HS-BR-E-0500		HS-SS-E-0500
6"	HS-AL-E-0600	HS-BR-E-0600		HS-SS-E-0600



Part F - Male adapter/ Male thread

Size	AL	BR	PP	SS
1/2"	HS-AL-F-0050	HS-BR-F-0050	HS-PP-F-0050	HS-SS-F-0050
3/4"	HS-AL-F-0075	HS-BR-F-0075	HS-PP-F-0075	HS-SS-F-0075
1"	HS-AL-F-0100	HS-BR-F-0100	HS-PP-F-0100	HS-SS-F-0100
1-1/4"	HS-AL-F-0125	HS-BR-F-0125	HS-PP-F-0125	HS-SS-F-0125
1-1/2"	HS-AL-F-0150	HS-BR-F-0150	HS-PP-F-0150	HS-SS-F-0150
2"	HS-AL-F-0200	HS-BR-F-0200	HS-PP-F-0200	HS-SS-F-0200
2-1/2"	HS-AL-F-0250	HS-BR-F-0250		HS-SS-F-0250
3"	HS-AL-F-0300	HS-BR-F-0300	HS-PP-F-0300	HS-SS-F-0300
4"	HS-AL-F-0400	HS-BR-F-0400	HS-PP-F-0400	HS-SS-F-0400
5"	HS-AL-F-0500	HS-BR-F-0500		HS-SS-F-0500
6"	HS-AL-F-0600	HS-BR-F-0600		HS-SS-F-0600



Part DC - Dust Cap

Size	AL	BR	PP	SS
1/2"	HS-AL-DC-0050	HS-BR-DC-0050		HS-SS-DC-0050
3/4"	HS-AL-DC-0075	HS-BR-DC-0075	HS-PP-DC-0075	HS-SS-DC-0075
1"	HS-AL-DC-0100	HS-BR-DC-0100	HS-PP-DC-0100	HS-SS-DC-0100
1-1/4"	HS-AL-DC-0125	HS-BR-DC-0125		HS-SS-DC-0125
1-1/2"	HS-AL-DC-0150	HS-BR-DC-0150	HS-PP-DC-0150	HS-SS-DC-0150
2"	HS-AL-DC-0200	HS-BR-DC-0200	HS-PP-DC-0200	HS-SS-DC-0200
2-1/2"	HS-AL-DC-0250	HS-BR-DC-0250		HS-SS-DC-0250
3"	HS-AL-DC-0300	HS-BR-DC-0300	HS-PP-DC-0300	HS-SS-DC-0300
4"	HS-AL-DC-0400	HS-BR-DC-0400	HS-PP-DC-0400	HS-SS-DC-0400
5"	HS-AL-DC-0500	HS-BR-DC-0500		HS-SS-DC-0500
6"	HS-AL-DC-0600	HS-BR-DC-0600		HS-SS-DC-0600



Part DP - Dust Plug

Size	AL	BR	PP	SS
1/2"	HS-AL-DP-0050	HS-BR-DP-0050		HS-SS-DP-0050
3/4"	HS-AL-DP-0075	HS-BR-DP-0075	HS-PP-DP-0075	HS-SS-DP-0075
1"	HS-AL-DP-0100	HS-BR-DP-0100	HS-PP-DP-0100	HS-SS-DP-0100
1-1/4"	HS-AL-DP-0125	HS-BR-DP-0125		HS-SS-DP-0125
1-1/2"	HS-AL-DP-0150	HS-BR-DP-0150	HS-PP-DP-0150	HS-SS-DP-0150
2"	HS-AL-DP-0200	HS-BR-DP-0200	HS-PP-DP-0200	HS-SS-DP-0200
2-1/2"	HS-AL-DP-0250	HS-BR-DP-0250		HS-SS-DP-0250
3"	HS-AL-DP-0300	HS-BR-DP-0300	HS-PP-DP-0300	HS-SS-DP-0300
4"	HS-AL-DP-0400	HS-BR-DP-0400	HS-PP-DP-0400	HS-SS-DP-0400
5"	HS-AL-DP-0500	HS-BR-DP-0500		HS-SS-DP-0500
6"	HS-AL-DP-0600	HS-BR-DP-0600		HS-SS-DP-0600

Note: For Alum camlock couplings, 8" inch Part A, B, C, D, E, F, DC, DP are available now.



Cam & Groove > Reducers and Increases



Part CR- Reducer

Size	AL	SS
2"X1-1/2"	HS-AL-CR-2015	HS-SS-CR-2015
3"X2"	HS-AL-CR-3020	HS-SS-CR-3020
3"X4"	HS-AL-CR-3040	HS-SS-CR-3040
4"X3"	HS-AL-CR-4030	HS-SS-CR-4030



Part DD - Coupler x Coupler

Size	AL	SS
2"X2"	HS-AL-DD-2020	HS-SS-DD-2020
3"X3"	HS-AL-DD-3030	HS-SS-DD-3030
4"X4"	HS-AL-DD-4040	HS-SS-DD-4040



Part DA-Coupler x Adapter

Size	AL	SS
2"X1-1/2"	HS-AL-DA-2015	
2"X3"	HS-AL-DA-2030	HS-SS-DA-2030
3"X1-1/2"		
3"X2"	HS-AL-DA-3020	HS-SS-DA-3020
3"X4"	HS-AL-DA-3040	
4"X2"	HS-AL-DA-4020	
4"X3"	HS-AL-DA-4030	HS-SS-DA-4030
4"X6"	HS-AL-DA-4060	



Part AA-Adapter x Adapter

Size	AL	SS
1"X1"		HS-SS-AA-1010
1-1/4"X1-1/4"		HS-SS-AA-1212
1-1/2"X1-1/2"	HS-AL-AA-1515	HS-SS-AA-1515
1-1/2"X2"		HS-SS-AA-1520
2"X2"	HS-AL-AA-2020	HS-SS-AA-2020
2"X2-1/2"	HS-AL-AA-2025	HS-SS-AA-2025
2"X3"	HS-AL-AA-2030	HS-SS-AA-2030
2"X4"		
2-1/2"X2-1/2"	HS-AL-AA-2525	HS-SS-AA-2525
3"X3"	HS-AL-AA-3030	HS-SS-AA-3030
3"X4"	HS-AL-AA-3040	HS-SS-AA-3040
4"X4"	HS-AL-AA-4040	HS-SS-AA-4040
4"X6"		HS-SS-AA-4060





Cam & Groove > DIN2828



DIN2828 Part A

Size	SS
3/4"	HS-DN28-SS-A-0075
1"	HS-DN28-SS-A-0100
1-1/4"	HS-DN28-SS-A-0125
1-1/2"	HS-DN28-SS-A-0150
2"	HS-DN28-SS-A-0200
2-1/2"	HS-DN28-SS-A-0250
3"	HS-DN28-SS-A-0300
4"	HS-DN28-SS-A-04300



DIN2828 Part D

Size	SS
3/4"	HS-DN28-SS-D-0075
1"	HS-DN28-SS-D-0100
1-1/4"	HS-DN28-SS-D-0125
1-1/2"	HS-DN28-SS-D-0150
2"	HS-DN28-SS-D-0200
2-1/2"	HS-DN28-SS-D-0250
3"	HS-DN28-SS-D-0300
4"	HS-DN28-SS-D-0400



DIN2828 Part C

Size	SS
3/4"	HS-DN28-SS-C-0075
1"	HS-DN28-SS-C-0100
1-1/4"	HS-DN28-SS-C-0125
1-1/2"	HS-DN28-SS-C-0150
2"	HS-DN28-SS-C-0200
2-1/2"	HS-DN28-SS-C-0250
3"	HS-DN28-SS-C-0300
4"	HS-DN28-SS-C-0400



DIN2828 Part E

Size	SS
3/4"	HS-DN28-SS-E-0075
1"	HS-DN28-SS-E-0100
1-1/4"	HS-DN28-SS-E-0125
1-1/2"	HS-DN28-SS-E-0150
2"	HS-DN28-SS-E-0200
2-1/2"	HS-DN28-SS-E-0250
3"	HS-DN28-SS-E-0300
4"	HS-DN28-SS-E-0400





Cam & Groove > Cam & Groove accessoires



Handle for Cam & Groove

Size	SS	BR
3/4"	HS-HA-SS-0075	HS-HA-SS-0075
1"	HS-HA-SS-0100	HS-HA-SS-0100
2"	HS-HA-SS-0200	HS-HA-SS-0200
3"	HS-HA-SS-0300	HS-HA-SS-0300
6"	HS-HA-SS-0600	HS-HA-SS-0600



Gasket for Cam & Groove

Size	NBR	VITON	EPDM
1/2"	HS-GA-NBR-0050	HS-GA-VIT-0050	HS-GA-EPDM-0050
3/4"	HS-GA-NBR-0075	HS-GA-VIT-0075	HS-GA-EPDM-0075
1"	HS-GA-NBR-0100	HS-GA-VIT-0100	HS-GA-EPDM-0100
1-1/4"	HS-GA-NBR-0125	HS-GA-VIT-0125	HS-GA-EPDM-0125
1-1/2"	HS-GA-NBR-0150	HS-GA-VIT-0150	HS-GA-EPDM-0150
2"	HS-GA-NBR-0200	HS-GA-VIT-0200	HS-GA-EPDM-0200
2-1/2"	HS-GA-NBR-0250	HS-GA-VIT-0250	HS-GA-EPDM-0250
3"	HS-GA-NBR-0300	HS-GA-VIT-0300	HS-GA-EPDM-0300
4"	HS-GA-NBR-0400	HS-GA-VIT-0400	HS-GA-EPDM-0400
5"	HS-GA-NBR-0500	HS-GA-VIT-0500	HS-GA-EPDM-0500
6"	HS-GA-NBR-0600	HS-GA-VIT-0600	HS-GA-EPDM-0600

Note: Other kinds of gasket is available on request.





Guillemin > Standard Guillemin

MALE WITHOUT LATCH



MALE WITH LATCH



FEMALE WITHOUT LATCH



FEMALE WITH LATCH



HOSE TAIL WITH LATCH



CAP and LATCH with CHAIN



Guillemin > Helical for composite hose

MALE guillemin helicoidale



HOSE guillemin helicoidale





DIN Standard > Tankwagon coupling DIN28450

PART MK: with locking handle, female thread, nominal pressure



PART VK: male coupling with female thread, nominal pressure



PART VB male plug, nominal pressure



PARTMB: female cap, nominal pressure



DIN Standard > DIN2817 safety clamp / DIN2817 fitting

DIN2817 Safety clamp



DIN2817 fitting





Quick connect > Universal: US & European



US type Female end 2-lug



US type Hose end 2-lug



US type Male end 2-lug



Blank cap



US type Female end 4-lug



US type Hose end 4-lug



Three way end



Gasket



European type Female end



European type Hose End



European type Male end





Quick connect > Ground joint – Air & Steam

Ground joint coupling



Interlocking clamp



Quick connect > Sandblast

Q



Nozzle holder



Threaded & unthreaded > King combination nipple / Hose mender

King combination nipple



Hose mender



Suction & Delivery > Pin-Lug hose shank / Foot valve / Basket Strainer

Pin-Lug hose shank



Foot valve



Basket strainer





Hose clamp systems > T-bolt superior clamp / Spiral clamp / Worm drive clamp / Double bolt clamp

T-bolt superior clamp



Spiral clamp



Worm drive clamp



Double bolt clamp



Storz coupling > Male thread / Female thread / Cap / Hose tail

Male thread



Female thread



Cap



Hose tail



Miscellaneous > Washdown gun / Whipcheck safety cable / Bauer type coupling

Washdown gun



Whipcheck safety cable



Bauer type coupling



Center punch tool

